26 July	2004	Updated Search		09/772,994
L Number	Hits	Search Text	DB	Time stamp
15	1	772994.apn.	USPAT;	2004/07/26
			US-PGPUB;	13:49
			EPO; JPO;	
			DERWENT	
-	185	136/\$.ccls. and glass and (resin adj film)	USPAT;	2002/02/04
			U5-PGPUB	08:32
-	42	136/\$.ccls. and glass and ((resin adj film) with	USPAT;	2002/01/18 14:21
,		transparent)	US-PGPUB	
-	3	136/\$.ccls. and glass and ((resin adj film) with	USPAT;	2002/01/18
		transparent) and sodium	US-PGPUB	14:22
-	406	136/\$.ccls. and sodium	USPAT;	2002/01/18
			US-PGPUB	14:23
+	78	136/\$.ccls. and sodium and solar and module	USPAT;	2002/01/18
			US-PGPUB	14:23
-	309	136/\$.ccls. and sodium and solar	USPAT:	2002/01/18
		,	US-PGPUB	14:30
_	50	136/\$.ccls. and (sodium with glass) and solar	USPAT;	2002/01/18
		The process and (codes in with glass) and sold	US-PGPUB	14:58
_	444	(136/251).CCLS.	USPAT;	2002/01/18
	,	(1307 231).3323.	US-PGPUB	15:32
_	114	136/251.ccls. and (weather or water) and	USPAT;	2002/01/18
		(transparent with film)	US-PGPUB	
_	107	136/251.ccls. and (weather or water) and		15:33
	107	(transparent with film) and glass	USPAT;	2002/01/18
_	23	136/251.ccls. and (weather or water) and	US-PGPUB	15:34
_	23		USPAT;	2002/01/18
	166	(transparent with (resin adj film)) and glass	US-PGPUB	15:37
-	100	136/259.ccls. and (weather or water)	USPAT;	2002/01/30
	1	E4/0//0	US-PGPUB	11:48
-	1	5460660.pn.	USPAT;	2002/01/30
	313	134/254 14 14 (+1) >	US-PGPUB	11:29
-	313	136/256.ccls. and (weather or water)	USPAT;	2002/01/30
	247	12//25/ 1: "1/ 1/ 1/ 1/ 1/	US-PGPUB	11:48
-	247	136/256.ccls. and (weather or water) and glass	USPAT;	2002/01/30
	101	43/705/ 1 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/	US-PGPUB	11:49
-	101	136/256.ccls. and (weather or water) and glass and	USPAT;	2002/01/30
		resin	US-PGPUB	12:38
-	6	"4490668"	USPAT;	2002/01/30
İ	_		US-PGPUB	12:38
-	1	("6222115").PN.	USPAT;	2002/02/01
			US-PGPUB	13:18
-	6	("4067764" "4433200" "4468426" "4526831"	USPAT	2002/02/01
		"5478402" "5728230").PN.		13:18
-	2	("6222115").PN.	USPAT;	2002/02/01
ĺ			US-PGPUB;	13:21
			EPO; JPO;	
			DERWENT	
-	6	("4067764" "4433200" "4468426" "4526831"	USPAT	2002/02/01
	ļ	"5478402" "5728230").PN.		13:18
-	1	6294722.pn.	USPAT;	2002/02/01
		•	US-PGPUB	13:25
-	4	("4507519" "4543441" "4663494"	USPAT	2002/02/01
		"4879251").PN.		13:22

- 1 "pct/jp99/06725" USPAT; US-P6PUB; EPO; JPO; DERWENT USPAT; EPO; DERWENT USPAT; USPAT; EPO; DERWENT USPAT; EPO; DERWEN	O1 O1
EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:25 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:25 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:25 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:27 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:27 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:27 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:29 EPO; JPO;	01
- 0 "jp99/06725" USPAT; 2002/02/0 - 0 "jp99 06725" USPAT; 2002/02/0 - 0 "jp99 06725" USPAT; 2002/02/0 - 0 "jp 06725" USPAT; 2002/02/0 - 0 "jp 06725" USPAT; 2002/02/0 - 4913 h01l031/042 USPAT; 2002/02/0 - 4913 h01l031/042 USPAT; 2002/02/0 - 13:27 - 2002/02/0 - 13:29 - 13:29	01
- 0 "jp99/06725" USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; 13:25 - 0 "jp99 06725" USPGPUB; 13:25 - 0 "jp 06725" USPGPUB; EPO; JPO; DERWENT USPAT; 2002/02/01 - 4913 h01 031/042 USPAT; 2002/02/01 - 4913 h01 031/042 USPAT; 2002/02/01 - 4913 h01 031/042 USPAT; 13:29 - 10 USPAT; 2002/02/01 - 11 USPAT; 2002/02/01 - 12 USPAT; 2002/02/01 - 13 USPAT; 13:29 - 14 USPAT; 13:29	01
- 0 "jp99 06725"	01
EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; USPAT	
DERWENT USPAT; 2002/02/0 US-PGPUB; 13:25 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:27 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:27 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; 13:29 EPO; JPO;	
- 0 "jp99 06725" USPAT; 2002/02/0 US-PGPUB; 13:25 - 0 "jp 06725" USPAT; 2002/02/0 USPAT; 2002/02/0 USPAT; 2002/02/0 US-PGPUB; 13:27 - 4913 h01l031/042 USPAT; 2002/02/0 US-PGPUB; 13:29 EPO; JPO;	
- US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO; JPO; DERWENT US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	
- 0 "jp 06725"	21
- 0 "jp 06725"	21
- 0 "jp 06725" USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB; 13:27 - 4913 h01l031/042 USPAT; 2002/02/01 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	21
- 4913 h01l031/042 US-PGPUB; EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; EPO; JPO; DEPO; JPO;	21
- 4913 h01l031/042 EPO; JPO; DERWENT USPAT; 2002/02/0 US-PGPUB; EPO; JPO;	ŊΙ
- 4913 h01l031/042 DERWENT USPAT; 2002/02/0 US-PGPUB; 13:29 EPO; JPO;	
- 4913 h01l031/042 USPAT; 2002/02/0 US-PGPUB; 13:29 EPO; JPO;	
US-PGPUB; 13:29 EPO; JPO;	
EPO; JPO;) 1
NEW PART	
DERWENT	
- 0 h01l031/042.ccls. USPAT; 2002/02/0	01
US-PGPUB; 13:29	
EPO; JPO;	,
DERWENT	
- 11 h01l031/042 and soda USPAT; 2002/02/0)1
US-PGPUB; 13:29	
EPO; JPO;	
DERWENT	,
- 606 257/184 USPAT; 2002/02/0)1
US-PGPUB 15:33	
- 429 257/184.ccls. USPAT; 2002/02/0)1
US-PGPUB 15:34	
- 142 257/184.ccls. and (solar or photovoltaic) USPAT; 2002/02/0)1
US-PGPUB 15:35	
- 12 257/184.ccls. and (solar or photovoltaic) and resin USPAT; 2002/02/0)1
US-PGPUB 15:55	
- 1 5411601.pn. and passivation USPAT; 2002/02/0)1
US-PGPUB 15:40	
- 13 257/183-184.ccls. and (solar or photovoltaic) and USPAT; 2002/02/0)1
resin US-PGPUB 15:55	Ī
- 1 257/183-184.ccls. and (solar or photovoltaic) and hit USPAT; 2002/02/0)1
US-PGPUB 15:57	
- 29 257/\$.ccls. and (solar or photovoltaic) and hit USPAT; 2002/02/0	1
US-PGPUB 16:00	
- 22 257/461.ccls. and (solar or photovoltaic) and resin USPAT; 2002/02/0	1 16:11
US-PGPUB	
- 66 136/\$.ccls. and waterproof USPAT; 2002/02/0	1
US-PGPUB 16:14	
- 2 136/\$.ccls. and waterproof and "sealing resin" USPAT; 2002/02/0	1
U5-PGPUB 16:14	
- 38 136/\$.ccls. and waterproof and resin USPAT; 2002/02/0	1
US-PGPUB 16:14	
- 136 136/251.ccls. EPO; JPO; 2002/02/0	
DERWENT 08:40	

	32	136/251.ccls. and (weatherproof\$3 or waterproof\$3	EPO; JPO;	2002/02/04
	52	or water or weather)	DERWENT	2002/02/04 08:59
_	0	62040783.URPN.	USPAT	2002/02/04
		02040703.0KI14.	USFAT	08:46
_	869	257/433	USPAT;	2002/02/04
			US-PGPUB;	09:06
			EPO; JPO;	09.00
			DERWENT	
_	664	257/433.ccls.	USPAT;	2002/02/04
			US-PGPUB;	09:12
			EPO; JPO;	07.12
			DERWENT	
_	83	257/433.ccls. and (water or weather or	USPAT;	2002/02/04
		waterproof\$3 or weatherproof\$3)	US-PGPUB;	09:17
		,	EPO; JPO;	0,
			DERWENT	
-	444	257/436.ccls.	USPAT;	2002/02/04
			US-PGPUB;	09:17
			EPO; JPO;	
			DERWENT	
i -	127	257/436.ccls. and (photovoltaic or "solar cell")	USPAT;	2002/02/04
		,	US-PGPUB;	09:25
			EPO; JPO;	
	İ		DERWENT	
-	583	136/251.ccls.	USPAT;	2002/02/04
			US-PGPUB;	09:30
			EPO; JPO;	
			DERWENT	
-	28	(US-5626688-\$ or US-6077722-\$ or US-6084176-\$	USPAT;	2002/02/04
		or US-5411601-\$ or US-5252140-\$ or US-6107562-\$	U5-PGPUB;	10:05
		or US-6331673-\$ or US-6320115-\$ or	EPO; JPO	
		US-6307145-\$ or US-6288325-\$ or U5-6222118-\$		
		or US-6222115-\$ or US-5728230-\$ or		
		US-6265653-\$ or US-6335479-\$ or US-6323416-\$		
		or US-6294722-\$ or US-6215060-\$ or		
		US-6133522-\$ or US-6034323-\$).did. or		
		(US-20010013361-\$ or US-20010020486-\$ or		
		US-20010045228-\$ or US-20010009160-\$).did. or		
		(EP-641030-\$).did. or (JP-61251176-\$ or		
	22	JP-60164348-\$ or JP-56081979-\$).did.		
-	22	((US-5626688-\$ or US-6077722-\$ or US-6084176-\$	USPAT;	2002/02/04
		or US-5411601-\$ or US-5252140-\$ or US-6107562-\$ or US-6331673-\$ or US-6320115-\$ or	US-PGPUB;	10:05
•		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
		US-6307145-\$ or US-6288325-\$ or US-6222118-\$ or US-6222115-\$ or US-5728230-\$ or	DERWENT	
		US-6265653-\$ or US-6335479-\$ or US-6323416-\$		
		or US-6294722-\$ or US-6215060-\$ or		
		US-6133522-\$ or US-6034323-\$).did. or		
		(US-20010013361-\$ or US-20010020486-\$ or		
		US-20010045228-\$ or US-20010020480-\$ or US-20010045228-\$		
		(EP-641030-\$).did. or (JP-61251176-\$ or		
		JP-60164348-\$ or JP-56081979-\$).did.) and resin	i	
		τι του το το φοι στο σσοσερτο φη.αια. η αιια τε sitt		

	52161	kondo.in.	LICDAT	2002/02/04
	32101	Kondo.m.	USPAT;	2002/02/04
			US-PGPUB;	10:41
	1		EPO; JPO;	
	3.5	142//6	DERWENT	
-	35	kondo.in. and 136/\$.ccls.	USPAT;	2002/02/04
	-		US-PGPUB;	11:06
			EPO; JPO;	
			DERWENT	
-	13	nakanishi.in. and 136/\$.ccls.	USPAT;	2002/02/04
			US-PGPUB;	11:09
			EPO; JPO;	1
			DERWENT	
-	14	kaneka.as. and 136/\$.ccls.	USPAT;	2002/02/04
			US-PGPUB;	11:42
			EPO; JPO;	
			DERWENT	
_	1	6300556.pn. and (sodium or soda)	USPAT;	2002/02/04
		(()	US-PGPUB;	15:36
			EPO; JPO;	13.00
			DERWENT	
	128	136/\$.ccls. and (soda with glass)	USPAT;	2002/07/08
		1307 Q.CCIS. WITH (3000 WITH GIRLSS)	US-PGPUB;	
				16:06
	Ì		EPO; JPO;	
	812	134/244/251 14	DERWENT	
-	012	136/244,251.ccls. and glass	USPAT;	2002/07/08
			US-PGPUB;	16:15
		•	EPO; JPO;	
Ì		,	DERWENT	
-	45	("3489615" "3887935" "3899689" "3912539"	USPAT	2002/07/08
		"3956765" "4195621" "4281278" "4322571"		16:13
		"4323719" "4361950" "4367365" "4481378"		
		"4567316" "4577051" "4610077" "4612408"		
	Ì	"4759803" "4771017" "4776893" "4909856"		
		"4933022" "4999524" "5009720" "5011544"		
		"5043024" "5131341" "5138403" "5230746"		
		"5248346" "5330583" "5330584" "5342453"		
		"5389158" "5391235" "5449413" "5498297"		
		"5514223" "5542988" "5567248" "5616185"		
		"5650019" "5684385" "5741370" "5753319"		
		"5895719").PN.		
-	230	(136/244,251.ccls. and glass) and (glass with	USPAT;	2002/07/08
j .		(thickness or thick))	US-PGPUB;	16:52
		•	EPO; JPO;	
]			DERWENT	
-	6	(("6407329") or ("6162986") or ("5728230")).PN.	USPAT;	2002/07/08
		(US-PGPUB;	16:52
			EPO; JPO;	10.52
			DERWENT	
_	78	136/251,256,259.ccls. and (waterproof or		2002/07/00
ĺ	, 0	waterproofing or (water adj (resistant or preventing	USPAT;	2002/07/08
		or prevention)))	US-PGPUB;	17:08
j /		or prevention)))	EPO; JPO;	
L			DERWENT	

		[DET ((D) 10 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 () 1 ()	T	
-	7	257/433,436.ccls. and (waterproof or waterproofing	USPAT;	2002/07/08
		or (water adj (resistant or preventing or	US-PGPUB;	17:09
		prevention)))	EPO; JPO;	
	*		DERWENT	
-	11955	136/\$.ccls.	USPAT;	2003/02/14
			US-PGPUB;	09:19
			EPO; JPO;	
			DERWENT	
-	3363	136/244,251,252,256,259.ccls.	USPAT;	2003/02/14
	0.		US-PGPUB;	10:46
			EPO; JPO;	
			DERWENT	
1_	152	136/244,251,252,256,259.ccls. and (water near2	USPAT;	2003/02/14
	132	(proof or proofing or proofed or resistant or	US-PGPUB;	09:26
				09.20
		resistance or prevention or preventive or prevent or preventing))	EPO; JPO;	
	71	1 1	DERWENT	
-	71	136/244,251,252,256,259.ccls. and (waterproof)	USPAT;	2003/02/14
			US-PGPUB;	09:26
			EPO; JPO;	
			DERWENT	
-	31	(136/244,251,252,256,259.ccls. and (water near2	USPAT;	2003/02/14
		(proof or proofing or proofed or resistant or	US-PGPUB;	09:26
		resistance or prevention or preventive or prevent or	EPO; JPO;	
		preventing))) and (136/244,251,252,256,259.ccls.	DERWENT	
		and (waterproof))		
-	192	(136/244,251,252,256,259.ccls. and (water near2	USPAT;	2003/02/14
		(proof or proofing or proofed or resistant or	U5-PGPUB;	09:27
		resistance or prevention or preventive or prevent or	EPO; JPO;	
		preventing))) or (136/244,251,252,256,259.ccls. and	DERWENT	
		(waterproof))	DERWEIN	
_	102	((136/244,251,252,256,259.ccls. and (water near2	USPAT;	2003/02/14
	102	(proof or proofing or proofed or resistant or	US-PGPUB;	09:27
		resistance or prevention or preventive or prevent or		09:27
			EPO; JPO;	
		preventing))) or (136/244,251,252,256,259.ccls. and	DERWENT	
	;	(waterproof))) and ((water or waterproof) with (layer		
		or film or coating))		
-	23	136/\$.ccls. and hanoka.in.	USPAT;	2003/02/14
]		US-PGPUB;	10:31
]			EPO; JPO;	
			DERWENT	
-	1	788339.apn.	USPAT;	2003/02/14
			US-PGPUB;	10:31
			EPO; JPO;	
			DERWENT	
-	210	136/\$.ccls. and (glass near2 resin)	USPAT;	2003/02/14
		-	US-PGPUB;	10:46
			EPO; JPO;	-3
			DERWENT	
_	315	136/\$.ccls. and (glass near3 resin)	USPAT;	2003/02/14
		, 4.000. and Glass near o resing		1
			US-PGPUB;	10:46
			EPO; JPO;	
L.,	i		DERWENT	

		r	T	
-	221	136/244,251,252,256,259.ccls. and (glass near3	USPAT;	2003/02/14
		resin)	US-PGPUB;	11:08
			EPO; JPO;	
			DERWENT	
-	470	136/244,251,252,256,259.ccls. and (glass near3	USPAT;	2003/02/14
		(resin or film))	US-PGPUB;	10:47
			EPO; JPO;	
			DERWENT	
-	234	(136/244,251,252,256,259.ccls. and (glass near3	USPAT;	2003/02/14
1		(resin or film))) and module	US-PGPUB;	11:02
			EPO; JPO;	
			DERWENT	
_	64	(136/244,251,252,256,259.ccls. and (glass near3	USPAT;	2003/02/14 11:13
		(resin or film))) and ((coated or coating or laminated)	US-PGPUB;	2003/02/14 11:13
		near glass)	EPO; JPO;	
		Hear glassy	DERWENT	
_	81	136/244,251,252,256,259.ccls. and (((sealant or	USPAT;	2003/02/14 11:12
		sealing or encapsulating or encapsulant) near resin))		2003/02/14 11:12
		seaming or encapsulating or encapsulant) hear resim))	US-PGPUB;	
			EPO; JPO;	
	15	134/344 351 353 354 350	DERWENT	0000 (00 (1)
-	19	136/244,251,252,256,259.ccls. and (encapsulant with	USPAT;	2003/02/14 11:13
		resin)	US-PGPUB;	
			EPO; JPO;	
		(42.4.10.4.4.054.050.054.050)	DERWENT	
-	86	(136/244,251,252,256,259.ccls. and (((sealant or	USPAT;	2003/02/14 11:13
		sealing or encapsulating or encapsulant) near resin)))	US-PGPUB;	
		(136/244,251,252,256,259.ccls. and (encapsulant	EPO; JPO;	
		with resin))	DERWENT	
-	4	((136/244,251,252,256,259.ccls. and (((sealant or	USPAT;	2003/02/14 11:14
		sealing or encapsulating or encapsulant) near resin)))	US-PGPUB;	
		(136/244,251,252,256,259.ccls. and (encapsulant	EPO; JPO;	
		with resin))) and ((coated or coating or laminated)	DERWENT	
		near glass)		
-	41	((136/244,251,252,256,259.ccls. and (glass near3	USPAT;	2003/02/14 11:15
	ļ	(resin or film))) and ((coated or coating or laminated)	US-PGPUB;	
		near glass)) not (glass near2 oxide)	EPO; JPO;	
			DERWENT	
-	1	136/\$.ccls. and shatterproof	USPAT;	2003/08/12
			US-PGPUB;	15:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	21	shatterproof with glass with resin	USPAT;	2003/08/12
		·	US-PGPUB;	15:09
]		EPO; JPO;	
			DERWENT;	
	ĺ		IBM_TDB	
-	647	136/\$.ccls. and (glass with resin)	USPAT;	2003/08/12
			US-PGPUB;	15:14
		ļ	EPO; JPO;	-9.1
			DERWENT;	
	j l		IBM_TDB	
<u> </u>	1	· · · · · · · · · · · · · · · · · · ·	-UN_1UD	

-	73	136/\$.ccls. and ((glass with resin) same (water or	USPAT;	2003/08/12
		moisture or waterproof or moistureproof))	US-PGPUB;	15:15
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	136/\$.ccls. and ((glass with (resin near (film or	USPAT;	2003/08/12
		layer))) same (water or moisture or waterproof or	US-PGPUB;	15:16
		moistureproof))	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	1	"6222115".PN.	USPAT	2003/12/19
				10:23
-	52	(US-6323416-\$ or US-6320115-\$ or US-6307145-\$	USPAT;	2003/12/19
		or US-6300556-\$ or US-5626688-\$ or	US-PGPUB;	10:57
		US-5411601-\$ or US-5252140-\$ or US-6262358-\$	EPO; JPO	
		or US-6222115-\$ or US-6184057-\$ or		
		US-6034323-\$ or US-5973258-\$ or US-5912064-\$		
		or US-6335479-\$ or US-5356656-\$ or		
		US-6331673-\$ or US-6294722-\$ or US-6268558-\$		
		or US-6215060-\$ or US-6133522-\$ or		
		US-5110369-\$ or US-5728230-\$ or US-6288325-\$		
		or U5-6187448-\$ or U5-6127622-\$ or		
		US-6114046-\$).did. or (US-6113718-\$ or		
		US-6077722-\$ or US-4321418-\$ or US-6222118-\$		
		or US-6107562-\$ or US-6265653-\$ or		
		US-6271053-\$ or US-6407329-\$ or US-6407327-\$		
		or US-6384313-\$ or US-6355875-\$ or		
		US-6353042-\$ or US-6034322-\$ or US-6444898-\$		
]	or US-5897882-\$).did. or (US-20010020486-\$ or		
		US-20010045228-\$ or US-20010013361-\$ or		
		US-20010009160-\$ or US-20020026955-\$ or		
		US-20020134421-\$ or US-20030029493-\$).did. or		
		(EP-641030-\$).did. or (JP-61251176-\$ or		
		JP-60164348-\$ or JP-56081979-\$).did.		

				· · · · · · · · · · · · · · · · · · ·
-	47	((US-6323416-\$ or US-6320115-\$ or US-6307145-\$ or US-6300556-\$ or US-5626688-\$ or US-5411601-\$ or US-5252140-\$ or US-6262358-\$	USPAT; US-PGPUB;	2003/12/19 10:59
		or US-6222115-\$ or US-6184057-\$ or	EPO; JPO; DERWENT;	
		US-6034323-\$ or US-5973258-\$ or US-5912064-\$	1	
		or US-6335479-\$ or US-5356656-\$ or	IBW_TDB	
		1		
		US-6331673-\$ or US-6294722-\$ or US-6268558-\$		
		or US-6215060-\$ or US-6133522-\$ or		
		US-5110369-\$ or US-5728230-\$ or US-6288325-\$		
		or US-6187448-\$ or US-6127622-\$ or		
		US-6114046-\$).did. or (US-6113718-\$ or		
		US-6077722-\$ or US-4321418-\$ or US-6222118-\$		
		or US-6107562-\$ or US-6265653-\$ or		
		US-6271053-\$ or US-6407329-\$ or US-6407327-\$		
		or US-6384313-\$ or US-6355875-\$ or		
		US-6353042-\$ or US-6034322-\$ or US-6444898-\$		
		or US-5897882-\$).did. or (US-20010020486-\$ or		
		US-20010045228-\$ or US-20010013361-\$ or		
		US-20010009160-\$ or US-20020026955-\$ or		
		US-20020134421-\$ or US-20030029493-\$).did. or		
		(EP-641030-\$).did. or (JP-61251176-\$ or		
		JP-60164348-\$ or JP-56081979-\$).did.) and		
	40	(water\$5 or moisture or weather\$5 or environment)		
-	48	((US-6323416-\$ or US-6320115-\$ or US-6307145-\$	USPAT;	2003/12/31
		or US-6300556-\$ or US-5626688-\$ or	US-PGPUB;	09:48
		US-5411601-\$ or US-5252140-\$ or US-6262358-\$	EPO; JPO;	
		or US-6222115-\$ or US-6184057-\$ or	DERWENT;	•
	:	US-6034323-\$ or US-5973258-\$ or US-5912064-\$	IBW_TDB	
		or US-6335479-\$ or US-5356656-\$ or		
		US-6331673-\$ or US-6294722-\$ or US-6268558-\$		
		or US-6215060-\$ or US-6133522-\$ or		
		US-5110369-\$ or US-5728230-\$ or US-6288325-\$		
		or US-6187448-\$ or US-6127622-\$ or		
		US-6114046-\$).did. or (US-6113718-\$ or		
		US-6077722-\$ or US-4321418-\$ or US-6222118-\$	1	
		or US-6107562-\$ or US-6265653-\$ or		
	-	US-6271053-\$ or US-6407329-\$ or US-6407327-\$		
		or US-6384313-\$ or US-6355875-\$ or		
		US-6353042-\$ or US-6034322-\$ or US-6444898-\$ or US-5897882-\$).did. or (US-20010020486-\$ or		
		·		
		US-20010045228-\$ or US-20010013361-\$ or		
		US-20010009160-\$ or US-20020026955-\$ or		
		US-20020134421-\$ or US-20030029493-\$).did. or (EP-641030-\$).did. or (JP-61251176-\$ or		
		JP-60164348-\$ or JP-56081979-\$).did.) and		
		(water\$5 or moisture or weather\$5 or environment\$2)		
_	0	• •	LICDAT	2002/12/10 44:42
-	U	wo1999-jp06726.ap,prai.	USPAT;	2003/12/19 11:13
			US-PGPUB;	
			EPO; JPO;	
	Ì		DERWENT;	
			IBM_TDB	

	1	1000ms in06726 on musi	LICDAT	2002/12/12 11
_	1	1999wo-jp06726.ap,prai.	USPAT;	2003/12/19 11:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0004 070777 1 10 114	IBM_TDB	
-	1	2001-070575.NRAN.	DERWENT	2003/12/19 11:14
-	4	(("6407329") or ("6300556")).PN.	USPAT;	2003/12/31
			US-PGPUB;	09:49
			EPO; JPO;	
			DERWENT;	
			IBW_LDB	
-	2	us-20010009160-a1.did.	USPAT;	2003/12/31
			US-PGPUB;	09:49
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	6	((("6407329") or ("6300556")).PN.)	USPAT;	2003/12/31
		us-20010009160-a1.did.	U5-PGPUB;	09:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	689	136/\$.ccls. and (resin with glass)	USPAT;	2004/07/26
			U5-PGPUB;	09:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	361	136/\$.ccls. and (resin near3 glass)	USPAT;	2004/07/26
			US-PGPUB;	09:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	32	(136/\$.ccls. and (resin near3 glass)) and (sealing adj	USPAT;	2004/07/26
		resin)	US-PGPUB;	09:56
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
-	54	(136/\$.ccls. and (resin with glass)) and (glass near2	USPAT;	2004/07/26
		(coated or coating))	US-PGPUB;	09:57
		,	EPO; JPO;	07.07
			DERWENT;	
			IBM_TDB	
			TRW_IDR	